



Driver Guide Blocks

BELT FASTENERS & TOOLS

RIV-NAIL TO RAPID INSTALL SYSTEM*



THE FASTEST, EASIEST, & SAFEST SYSTEM TO INSTALL RIV-NAIL CONVEYOR BELT FASTENERS.

Battery Powered Hammer

At 9.5 pounds, this powerful hammer feels lighter than most hammers with its ergonomically balanced design. The tool of choice because it is fast, yet safe, and lessens the fatigue of the splice team. Complete with two Litheon 36 VDC batteries and a charger.

SDS Drive Rod

Riv-Nail drive rods are designed to fit both battery and corded power hammers.



Electric Hammer

Light to handle, this powerful hammer utilizes 120 VAC, draws only 6.5 amps, and provides a generous 10-foot power cord. Both hammers generate more than 3,500 blows per minute.

Test Drive the Riv-Nail Rapid Install System

On average, only **four seconds** is required to drive rivets – complete and fully clinched. Call **1-800-323-7093** to arrange a demo and find out how the Riv-Nail Rapid Install System can help you increase efficiency and productivity.

Application Tool

The Application Tool is designed and built with lightweight aluminum and Ultra High Molecular Weight (UHMW) Polyethylene locator guides mounted directly on the top of the channel. Patented anvil plates set the rivets. Gauge rods have "keepers" to prevent loss of the gauge rod while transporting.


Riv-Nail Guide Blocks

Riv-Nail Guide Blocks are available in 20 and 40 rivet capacities. Lightweight, wear-resistant UHMW Polyethylene and the pilot nail guides (patent pending) provide the most accurate placement of rivets in the belt splice.

Riv-Nail Manual Drivers



Five-Prong Driver drives five rivets at a time, but requires a four- to five-pound hammer. Rivets must be set after removal of the driver guides.





Manufacturers of:

PLATEGRIP™ RIV-NAIL™ STAPLEGRIP™ STEELGRIP™



BELT FASTENERS & TOOLS

7013 High Grove Blvd. Burr Ridge, IL 60527-7593 USA p: 630-655-4205

p: 630-655-4205 800-323-7093

f: 630-655-4209

www.conveyoraccessories.com

Copyright © 2015. All Rights Reserved

